

285-1



TERMS OF BUSINESS AND CONDITIONS OF SALE.

THE WARNING.

3. GENERAL CONDITIONS OF SALE



REGD. TRADE MARK

G.E.C.**ELECTRIC LIGHT****FITTINGS ACCESSORIES.****F (2)****SECTION
16th EDITION***(December, 1924).***CONTENTS.**

	PAGE		PAGE
ANTI-VIBRATORS ...	1338	NOZZLES ...	1336
BALL FITTINGS ...	1343/4	NURLS ...	1339, 1344
BLOCKS AND BOXES ...	1354/5	OIL LAMP ADAPTORS ...	1342
BRACKETS (INDOOR) ...	1355	PULL DOWN HANDLES ...	1342
BUSHES ...	1336	REFLECTORS 1356/59 & 1362	
CANDLE FITTINGS ...	1346	„ (DESK, ETC.)	1362
CEILING PLATES ...	1337/8	„ (SHOP WINDOW)	1356/61
CHAINS ...	1345	ROSETTES ...	1336
CLIPS ...	1336	SCREWS ...	1336
CORD GRIPS ...	1336	SHACKLES ...	1338
„ ORNAMENTS ...	1339	SHADE CARRIERS ...	1342/3/4
„ SHORTENERS ...	1339	„ FIXERS ...	1343
COUNTERWEIGHT FITTINGS	1348/51	SHADE TILTERS ...	1342
COUPLINGS ...	1336	SHELF CLIPS ...	1357
ELBOWS ...	1336	SOCKETS ...	1337
GALLERIES OR SHADE CARRIERS	1340/1	“ S ” HOOKS ...	1344
HOOKE PLATES ...	1338	“ STRIPLITE ” ...	1358
HOOKE ...	1336, 1338	SWITCH PLATES ...	1352/3
HUSKS ...	1339	TILTERS ...	1342
INSULATORS ...	1336	TUBES ...	1344/6
KNUCKLE JOINTS ...	1343	WIRE GUARDS ...	1347
LOOPS ...	1338	WOOD BLOCKS AND BOXES	1354/5
NIPPLES ...	1337		

*The prices in this list are subject to our Standard Conditions of Sale.***THE GENERAL ELECTRIC CO., LTD.****HEAD OFFICE:****MAGNET HOUSE, KINGSWAY, LONDON, W.C.2.**

TELEPHONE: REGENT 7050 (50 LINES). TELEGRAMS: "ELECTRICITY, WESTCENT, LONDON."

**WORKS: WITTON, BIRMINGHAM, MANCHESTER, COVENTRY,
SOUTHAMPTON, ERITH, WEMBLEY, LONDON, ETC.**

BRANCHES THROUGHOUT THE UNITED KINGDOM AND IN ALL PRINCIPAL MARKETS OF THE WORLD.



REGD. TRADE MARK.



REGD. TRADE MARK.

(F) 1336

**CORD GRIPS, HOOKS, CLIPS,
NOZZLES, ELBOWS,
INSULATORS, ETC.
(POLISHED BRASS).**

G.E.C.

FITTINGS ACCESSORIES.

CORD GRIPS. F 3501



F 3501

Male Thread	Brass
	doz.
$\frac{3}{8}$ in.	3/9
$\frac{1}{2}$ in.	4/9
$\frac{3}{4}$ in.	6/3
$\frac{1}{2}$ in. gas	15/9

F 3503



F 3503

Female Thread	Brass
	doz.
$\frac{3}{8}$ in.	6/-
$\frac{1}{2}$ in.	6/9
$\frac{3}{4}$ in.	8/3

F 3505



F 3505

Male Thread	Brass
	doz.
$\frac{3}{8}$ in.	18/-

LACQUERED SCREWS.

F 3509



F 3509

Size	Brass
	doz.
No. 6 $\times \frac{1}{2}$ in.	6d.
No. 8 $\times \frac{1}{2}$ in.	1/-

POLISHED BRASS RINGS.

F 3511



F 3511

Female Thread	Brass
	doz.
$\frac{3}{8}$ in.	1/6
$\frac{1}{2}$ in.	1/9
$\frac{3}{4}$ in.	2/6
$\frac{1}{2}$ in.	4/3

BRASS SUSPENDING HOOKS.



F 3513

F 3513

To fix under cord grip caps of lampholders.
 $\frac{3}{8}$ in. hole
10/- per doz.

BRASS SUSPENDING HOOKS.



F 3515

F 3515

With split insulator.
Easily attached to wire.
16/6 per doz.



F 3517

SCREW CLIPS.

F 3517

For clipping to Brass Tubes of the following diameter.

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	doz.
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.	12/6



F 3519

F 3519

Insulated clip for brass tubes of the following diameters.

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	doz.
$\frac{1}{2}$ in.	1 in.	1 $\frac{1}{4}$ in.	12/6



F 3521

INSULATING HOOKS.

F 3521

Polished brass.
China insulator.
For insulating light pendants from ceiling.
18/- per doz.
Larger sizes to order.



F 3523

SCREW EYES.

F 3523

Closed Insulator.
Wood Screws.

Length overall	Per doz.	Per gross.
1 $\frac{1}{2}$ in.	1/6	15/-
2 $\frac{1}{2}$ in.	1/9	17/3



F 3527

F 3527

Slotted Insulator.

Length overall	Per doz.	Per gross.
1 $\frac{1}{2}$ in.	1/6	15/-
2 $\frac{1}{2}$ in.	1/9	17/3



F 3529

ROSETTES.

F 3529

For use with screw eyes
1/3 per doz.
13/6 per gross

REDUCING NOZZLES. F 3531

Polished Brass.
Brass Threads.



F 3531

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	2/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	2/6
$\frac{3}{4}$ in.	1 in.	3/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	3/-
$\frac{3}{4}$ in.	1 in.	3/-
1 in.	1 $\frac{1}{4}$ in.	3/3
1 $\frac{1}{4}$ in.	1 $\frac{1}{2}$ in.	3/3
1 $\frac{1}{2}$ in.	1 $\frac{3}{4}$ in.	4/-
1 $\frac{3}{4}$ in.	2 in.	4/3
2 in.	2 $\frac{1}{4}$ in.	4/3
2 $\frac{1}{4}$ in.	2 $\frac{1}{2}$ in.	5/-
2 $\frac{1}{2}$ in.	3 in.	6/-
3 in.	3 $\frac{1}{2}$ in.	6/-

INCREASING NOZZLES.

F 3535

For Brass Threads.
26 Pitch.



F 3535

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1/9
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	3/-
$\frac{3}{4}$ in.	1 in.	2/-



F 3537

F 3537

Polished Brass.

Brass Inside	Iron Outside	doz.
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/6
$\frac{3}{4}$ in.	1 in.	5/6



F 3539

F 3539

Iron Thread

Inside	Outside	doz.
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	3/-
$\frac{3}{4}$ in.	1 in.	4/3
1 in.	1 $\frac{1}{4}$ in.	7/6
1 $\frac{1}{4}$ in.	1 $\frac{1}{2}$ in.	11/3
1 $\frac{1}{2}$ in.	1 $\frac{3}{4}$ in.	11/3

NIPPLES.

F 3541

Brass Thread.
26 Pitch.



F 3541

Outside	doz.
$\frac{3}{8}$ in.	1/-
$\frac{1}{2}$ in.	1/3
$\frac{3}{4}$ in.	1/6

COUPLINGS.

F 3543

Brass Threads.



F 3543

Inside	doz.
$\frac{3}{8}$ in.	4/3
$\frac{1}{2}$ in.	4/9
$\frac{3}{4}$ in.	5/9
1 in.	6/6

ELBOWS.

F 3545 (2-way).
F 3547 (3-way).

Equal Brass Threads.



F 3545/7

Thread	Two Way	Three Way
$\frac{3}{8}$ in.	doz.	doz.
$\frac{1}{2}$ in.	11/3	11/3
$\frac{3}{4}$ in.	14/3	14/3
1 in.	15/9	15/9

NOZZLES. F 3551

Polished Brass.

Iron Threads	Brass Threads	doz.
Inside	Outside	
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/3
$\frac{3}{4}$ in.	1 in.	6/-
1 in.	1 $\frac{1}{4}$ in.	6/-
1 $\frac{1}{4}$ in.	1 $\frac{1}{2}$ in.	8/3
1 $\frac{1}{2}$ in.	1 $\frac{3}{4}$ in.	8/3
1 in.	2 in.	12/6
1 in.	2 $\frac{1}{2}$ in.	12/6



F 3551/3

F 3553

Polished Brass.

Electric Threads	Brass Threads	doz.
Inside	Outside	
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/3
$\frac{3}{4}$ in.	1 in.	6/-
1 in.	1 $\frac{1}{4}$ in.	6/-
1 $\frac{1}{4}$ in.	1 $\frac{1}{2}$ in.	8/3
1 $\frac{1}{2}$ in.	1 $\frac{3}{4}$ in.	8/3



F 3555

F 3555

Polished Brass.

Iron Threads	Brass Threads	doz.
Inside	Inside	
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	6/-
$\frac{3}{4}$ in.	1 in.	9/-
1 in.	1 $\frac{1}{4}$ in.	12/6



F 3557

F 3557

Polished Brass.

Electric Threads	Brass Threads	Price
Inside	Inside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	6/-
1 in.	1 $\frac{1}{4}$ in.	8/3

INSULATING BUSH PIECES.

F 3561

Black and White for Brass Threads.



F 3561

$\frac{3}{8}$ in.	doz.
$\frac{1}{2}$ in.	10d.
$\frac{3}{4}$ in.	1/-
1 in.	1/6

EBONITE DIMINISHERS.

F 3563

Brass Threads.



F 3563

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	4/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/9
$\frac{3}{4}$ in.	1 in.	5/9
1 in.	1 $\frac{1}{4}$ in.	6/9

G.E.C.

FITTINGS ACCESSORIES.

1337 (F)
IRON NIPPLES,
SOCKETS,
CEILING PLATES.

IRON NIPPLES AND SOCKETS.



F 3571

Outside Gas Thread	doz.
$\frac{3}{8}$ in.	3/3
$\frac{1}{2}$ in.	5/6
$\frac{3}{4}$ in.	6/3
1 in.	7/6



F 3573

Inside Gas Thread	doz.
$\frac{3}{8}$ in.	4/3
$\frac{1}{2}$ in.	5/6
$\frac{3}{4}$ in.	7/6
1 in.	11/3



F 3575

Inside Gas Thread	doz.
$\frac{1}{2}$ in. \times $\frac{3}{8}$ in.	10/3
$\frac{3}{4}$ in. \times $\frac{3}{8}$ in.	11/6
$\frac{3}{4}$ in. \times $\frac{1}{2}$ in.	11/6
1 in. \times $\frac{1}{2}$ in.	14/6



F 3577/9

Inside Electric Thread	Outside Gas Thread	Price
$\frac{3}{8}$ in.	$\frac{3}{8}$ in.	doz. 10/3
$\frac{1}{2}$ in.	$\frac{1}{2}$ in.	doz. 10/3
1 in.	$\frac{1}{2}$ in.	doz. 11/6

Inside Gas Thread	Outside Electric Thread	Price
$\frac{1}{2}$ in.	$\frac{3}{8}$ in.	doz. 10/3
$\frac{3}{4}$ in.	$\frac{1}{2}$ in.	doz. 11/6



F 3589

F 3589
Polished Brass.
Male Brass Thread.
Base $2\frac{1}{4}$ in.

	doz.
$\frac{3}{8}$ in.	12/6
$\frac{1}{2}$ in.	13/6
$\frac{3}{4}$ in.	14/6



F 3591

F 3591
Polished Brass.
Female Brass Thread.
Base 2 in.

	doz.
$\frac{3}{8}$ in.	12/-
$\frac{1}{2}$ in.	13/-
$\frac{3}{4}$ in.	14/-



F 3601

F 3601
With Cord Grip.
Base $3\frac{1}{4}$ in.

Polished Brass	doz.
Ox. Copper	14/-
Ox. Silver	15/6
Ox. Silver	17/-



F 3603

3 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	18/9	12/6
Ox. Copper	21/-	14/-
Ox. Silver	25/-	17/6



F 3613

3 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	24/3	18/-
Ox. Copper	26/6	19/6
Ox. Silver	32/-	24/6



F 3615

4 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	30/9	24/6
Ox. Copper	33/6	26/6
Ox. Silver	40/-	32/6



F 3617/9

3 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	23/9	17/6
Ox. Copper	25/9	18/9
Ox. Silver	30/9	23/3

4 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	31/3	25/-
Ox. Copper	35/-	28/-
Ox. Silver	42/6	35/-

CEILING PLATES.



F 3581

F 3581
Polished Brass.
Male Brass Thread.
Base 2 in. \times $\frac{3}{4}$ in.

$\frac{3}{8}$ in.	doz.
$\frac{1}{2}$ in.	7/6



F 3583

F 3583
Polished Brass.
Female Brass Thread.
Base 2 in. \times $\frac{3}{4}$ in.

$\frac{3}{8}$ in.	doz.
$\frac{1}{2}$ in.	6/3



F 3585

F 3585
Polished Brass.
 $\frac{1}{4}$ in. Male Brass Thread.
Base 1 $\frac{1}{2}$ in. \times $\frac{1}{2}$ in.
8/6 doz.



F 3587

F 3587
Polished Brass.
Male Brass Thread.
Base 2 in.

$\frac{3}{8}$ in.	doz.
$\frac{1}{2}$ in.	5/6
$\frac{3}{4}$ in.	



F 3605

4 in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	22/9	16/6
Ox. Copper	25/-	18/-
Ox. Silver	29/6	22/-



F 3607

F 3607
Polished Cast Brass.
 $\frac{1}{4}$ in. Female Brass Thread.
Base 3 $\frac{1}{4}$ in.
25/6 doz.



F 3611

With Cord Grip.	doz.
Base 3 $\frac{1}{4}$ in.	
Pol. Brass	22/6
Ox. Copper	25/-
Ox. Silver	27/6



F 3621/3

3 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	22/6	16/3
Ox. Copper	25/-	18/-
Ox. Silver	29/-	21/6

4 $\frac{1}{4}$ in. dia.	With Cord Grip	Without Cord Grip
	doz.	doz.
Pol. Brass	25/-	18/9
Ox. Copper	27/6	20/6
Ox. Silver	31/6	24/-



F 3625

F 3625
Wrought Iron.
With Cord Grip.
Base 3 $\frac{1}{4}$ in.
21/- doz.

10 911-B2912 TCF

(F) 1338

CEILING PLATES, HOOKS, LOOPS,
INSULATED SHACKLES AND
ANTI-VIBRATORS.

G.E.C.

FITTINGS ACCESSORIES.

CEILING PLATES



F 3631

F 3631

Large size for
heavy fittings

4 in. Base	Polished Brass
For 3/4 in. or 1 in. Brass Tube	69/- doz.



F 3633

F 3633

Small size for
light fittings

3 1/4 in. Base	Polished Brass
For 3/4 in. Brass Tube	28/6 doz.



F 3635/7

F 3635

To cover China
Ceiling Rose

3 1/4 in. Base	Polished Brass
With Cord Grip and 3 Hooks	49/6 doz.

F 3637

3 1/4 in. Base	Polished Brass
With Hook	49/6 doz.



F 3641

F 3641

Finish	3 in. Base
Polished Brass	doz. 33/-
Oxidized Copper	36/-
Oxidized Silver	39/-



F 3643/5

F 3643 F 3645

Finish	2 1/4 in.	3 1/4 in.
Polished Cast Brass	doz. 30/-	doz. 45/-
Oxidized Copper	33/-	49/6
Oxidized Silver	36/-	54/-
Iron	24/-	30/-



F 3647

F 3647

5 1/4 in. Base	Ormolu
	99/- doz.



F 3651

GIMBAL
F 3651

Brass Thread	Polished Brass
5/8 in. x 5/8 in.	doz. 39/-
3/4 in. x 3/4 in.	42/-
1 in. x 1 in.	69/-



F 3661

F 3661

Brass Thread	Polished Brass
1/2 in.	doz. 9/-
5/8 in.	13/6
3/4 in.	16/6



F 3663

F 3663

Brass Thread	Polished Brass
1/2 in.	doz. 9/-
5/8 in.	13/6
3/4 in.	16/6



F 3665/7

F 3665 F 3667

Gas Thread	Malleable Iron	Polished Brass
1/2 in.	doz. 8/3	doz. 13/6
3/4 in.	10/6	16/6
1 in.	16/6	19/6
1 1/4 in.	27/-	28/6



F 3669/71

HOOKS

Polished Brass.

F 3669 F 3671

Gas Thread	Brass Thread
1/2 in.	doz. 9/-
3/4 in.	12/-
1 in.	15/-
1 1/4 in.	doz. 8/3
1 1/2 in.	9/-
1 3/4 in.	12/-
2 in.	15/-

SHACKLES

F 3673

Brass Thread	Polished Brass
1/2 in.	doz. 12/6
3/4 in.	15/6
1 in.	18/-

F 3673



F 3675

F 3675

Gas Thread	Malleable Iron
3/4 in.	doz. 10/6
1 in.	12/6
1 1/4 in.	21/-
1 1/2 in.	27/-

INSULATED SHACKLES

F 3681



F 3681

Gas Thread	Iron, China Insulators
1/2 in.	doz. 24/-
3/4 in.	



F 3683

ANTI- VIBRATORS

F 3683

For outside
lanterns
and fittings

Gas Thread	Iron, China Insula- tors
1/2 in.	doz. 72/-



F 3687

F 3687

Brass Thread	Polished Brass
Inside Outside	doz.
1/2 in. x 1/2 in.	22/6
3/4 in. x 3/4 in.	
Iron Thread	
1/2 in. x 1/2 in.	42/-

F 3689

Brass
6/6 doz.



FITTINGS ACCESSORIES.

CORD ORNAMENTS.

F 3701



F 3701

	doz.
Polished Brass ...	11/-
Oxidized Copper...	12/3
Oxidized Silver ...	13/6

F 3703



F 3703

	doz.
Polished Brass ...	15/-
Oxidized Copper...	17/6
Oxidized Silver ...	20/-

F 3705



F 3705

	doz.
Polished Brass ...	25/6
Oxidized Copper...	29/6
Oxidized Silver ...	35/-

F 3707



F 3707

1/2 in. Brass Thread		doz.
Polished Brass ...		52/6
Oxidized Copper...		58/6
Oxidized Silver ...		67/6

F 3709



F 3709

1/2 in. Brass Thread		doz.
Polished Brass ...		67/6
Oxidized Copper...		75/6
Oxidized Silver ...		87/6

F 3711



F 3711

	doz.
Polished Brass ...	30/-
Oxidized Copper...	33/-
Oxidized Silver ...	36/-

F 3713



F 3713

	doz.
Gilt Colour ...	21/-
Oxidized Copper...	23/3
Oxidized Silver ...	25/6



F 3721

LAMPHOLDER COVER

F 3721

For 1/2 in. Brass Thread		doz.
Polished Brass ...		9/-
Oxidized Copper...		10/-
Oxidized Silver ...		11/-

HUSKS.

F 3723



F 3723

1/2 in. or 1 1/2 in. hole		doz.
Polished Brass ...		16/6
Oxidized Copper...		18/-
Oxidized Silver ...		19/6

F 3725



F 3725

1/2 in. or 1 1/2 in. hole		doz.
Gilt Colour Brass ...		13/6
Oxidized Copper...		15/-
Oxidized Silver ...		16/6

F 3727



F 3727

1/2 in. brass	Husk only	doz.
Cast Brass Ormolu		90/-

F 3729



F 3729

1/2 in. Brass or 1 1/2 in. hole		doz.
Polished Brass ...		25/6
Oxidized Copper...		28/-
Oxidized Silver ...		30/6



F 3731


F 3731

Polished Brass Husk for Goliath Lamp-Holder and Gasfilled Lamp

10/6 each

For use with F 3501 1/2 in. gas.

CORD SHORTENERS.



F 3741

F 3741

China. Black or White 6/- doz.



F 3743

F 3743

Reg. No. 447457 Will take up 2 feet of Cord

Dull Brass 4/9 doz.

G.E.C.**FITTINGS ACCESSORIES.****GALLERIES OR SHADE CARRIERS.****F 3751****F 3751**To clamp to Edison
Screw Lampholder.
Polished Brass.

2½ in.	doz.
	6/6

**F 3765**

1½ in. Hole	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in.	doz. 9/6	doz. 10/6	doz. 11/6
3½ in.	22/6	25/-	27/6

**F 3781**

½ in. Thread or 1½ in. Hole	Gilt Colour Brass	Oxidized Copper	Oxidized Silver
2½ in.	doz. 36/-	doz. 39/6	doz. 43/-
3½ in.	42/-	46/6	51/-
4 in.	69/-	76/-	83/-

4 in. size is supplied with ½ in. thread only.

F 3753Patent No. 1286/13.
To clamp to Edison
Screw Lampholder.
Polished Brass.

2½ in.	doz.
3½ in.	10/6
	14/6

**F 3753****F 3755**

Polished Brass.

2½ in. × 1½ in.	doz.
	6/9

**F 3755****F 3757**

½ in. Thread or 1½ in. Hole	Polished Brass
2½ in.	doz. 16/-

**F 3757****F 3773**

½ in. Thread or 1½ in. Hole	Polished Copper	Polished Brass	Iron, ½ in. or 1 in. Gas Thread
3½ in.	doz. 33/-	doz. 30/-	doz. 28/6
4 in.	84/-	78/-	—
5½ in.	138/-	126/-	48/-
7 in.	192/-	—	—
8½ in.	250/-	—	—

**F 3783**

½ in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in.	doz. 36/-	doz. 40/-	doz. 47/6
3½ in.	51/-	57/-	69/-

**F 3785**

½ in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in.	doz. 39/-	doz. 44/-	doz. 52/-
3½ in.	70/-	79/-	93/-

**F 3761**

To screw on ordinary lampholder.

1½ in. Hole	Polished Brass	Oxidized Copper or Real Bronze Colour	Oxidized Silver
2½ in.	doz. 13/6	doz. 15/-	doz. 16/6

**F 3775**

Registered No. 622033.

1½ in. Hole	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in.	doz. 13/6	doz. 15/-	doz. 16/6
3½ in.	22/6	25/-	27/6

**F 3787**

½ in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2½ in.	doz. 36/-	doz. 42/-	doz. 49/6
3½ in.	45/6	52/6	64/6

**F 3763**

"HILLERY."

Patent No. 26133/11.

To screw to holder.
Adjustable for position of Lamp.

Polished Brass 2½ in.	doz.
	18/-

**F 3777**

½ in. Thread or 1½ in. Hole	Polished or Gilt Colour Brass	Oxidized Copper	Oxidized Silver
3½ in.	doz. 36/-	doz. 39/6	doz. 43/-
5½ in.	198/-	218/-	238/-

**F 3791**

½ in. Thread or 1½ in. Hole	Polished Brass	Oxidized Copper	Oxidized Silver
3½ in.	doz. 36/-	doz. 39/-	doz. 42/-

G.E.C.

1341 (F)

GALLERIES AND
SHADE CARRIERS.

FITTINGS ACCESSORIES.

GALLERIES AND SHADE CARRIERS.



F 3795

1/2 in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2 1/2 in.	doz. 42/-	doz. 47/6	doz. 54/6
3 1/2 in.	54/-	60/-	70/-



F 3797

1/2 in. Thread	Polished Brass	Oxidized Copper	Oxidized Silver
3 1/2 in.	doz. 82/6	doz. 91/6	doz. 108/-



F 3801

1/2 in. Thread	Cast Brass Ormolu
2 1/2 in.	12/- each



F 3803

With Cord Grip Cast	Real Bronze Colour	Oxidiz'd Silver
3 1/2 in.	each 13/6	each 15/-



F 3805

Polished Brass
For 2 or 4 Osram Lamps.
7 in. 9/6 each.
Lampholders extra.



F 3807

Focussing Ventilated Canopy

1/2 in. Iron Thread	Polished Brass	Oxidized Copper	Oxidized Silver
2 1/2 in.	each 8/-	each 9/-	each 10/-
3 1/2 in.	12/9	14/-	15/3



F 3809

F 3809

Reg. No. 634677.

For use with
F 3501 1/2 in. Iron.

Focussing Ventilated Gallery	Polished Brass
3 1/2 in.	each 7/-
4 in.	9/-



F 3811

F 3811

For Shades with 1 1/2 in. Hole	Polished Brass
8 3 doz.	

F 3813

1 1/2 in. Hole	Polished Brass
For Cardboard, Opal, or Silk Shades, with 1 1/2 in. Opening	doz. 30/-



F 3815

As F 3813 but for Larger Lamps.	doz. 33/-
---------------------------------	-----------

F 3817

For E. Screw Socket	doz. 34/6
---------------------	-----------

Screwed 1/2 in. brass, unless otherwise specified

F 3813/17

F 3821

Tilting Shade Carrier, 1 1/2 in. Hole	Polished Brass	Oxidiz'd Copper	Oxidiz'd Silver
For Shades with 1 1/2 in. Opening	doz. 36/-	doz. 39/6	doz. 43/-

F 3823

As F 3821 but for larger Lamps	Polished Brass	Oxidiz'd Copper	Oxidiz'd Silver
	doz. 42/-	doz. 46/6	doz. 51/-



F 3821/5

F 3825

For E. Screw Socket	Polished Brass
Screwed 1/2 in. brass, unless otherwise specified	doz. 51/-



F 3827

F 3827

Tilting Shade Carrier, 1 1/2 in. Hole	Ormolu
For Shades with 1 1/2 in. Opening	doz. 60/-

F 3829

1 1/2 in. Hole	Polished Brass
4 in. over all	doz. 10/6

Silk Shades with 4 in. Top Opening can be used on Pendants with the above.



F 3829

(F) 1342

SHADE CARRIERS, TILTERS,
PULL DOWN HANDLES,
OIL LAMP ADAPTORS
AND SHADE FIXERS.

G.E.C.

FITTINGS ACCESSORIES.

SHADE CARRIERS.



F 3831

F 3831

To clip to Candle.
Reg. No. 463713.

Tinned Brass	doz.
	10/-



F 3833

F 3833

To clip on Candle.

Brass.	doz.
2in. Top Gallery	8/6



F 3835

F 3835

4in. Carrier
with 1 1/2 in. Hole

Polished Brass	doz.
	27/-



F 3837

Without Holder or Lamp.

1 1/2 in. Hole	Polished Brass	Oxidiz'd Copper	Oxidiz'd Silver	Nickel Plated
For Lamp Shades with 4in. Top Opening	doz. 21/-	doz. 25/6	doz. 33/-	doz. 33/-

F 3839

As F 3837 but heavy pattern

Polished Brass	doz.
	114/-



F 3841

F 3841

Polished Brass.

4in. Carrier	To Screw to 1/2 in. Brass
With 2 or 3lt. Ball Body	doz. 108/-

When ordering state number of lights required.



F 3845

F 3845

10in.	1/2 in. Brass Thread or 1 1/2 in. Hole
Polished Brass	6/- each

TILTERS.



F 3849

F 3849

Polished Brass
5/- each.
Without Shade, Lamp-
or Lampholder.

PULL DOWN HANDLES FOR ATTACHMENT TO COUNTERWEIGHT PENDANTS.



F 3851/3

F 3851

Polished Brass
2/9 each.

Pull-down attachment
for lampholder of
1-Light Pendant, to
screw on in place of
the shade carrier ring.

F 3853

As F 3851 but for
larger lamp
3/9 each.



F 3855

F 3855

1/2 in. Brass Thread	
Iron.	each 1/-
Polished Brass	1/3

OIL LAMP ADAPTORS.

F 3861

For Duplex Lamps.



F 3861

1/2 in. Brass Thread

Pol. Brass	doz.
Ox. Copper	15/-
Ox. Silver	18/-
Nickelled	21/-

F 3863

For Duplex Lamps.




F 3863

1/2 in. Brass Thread	Polished Brass
----------------------	----------------

120/- doz.

F 3865

For Duplex and
other Lamps.



F 3865

1/2 in. Brass Thread

Pol. Brass	doz.
Nickelled	22/6
	30/-

SHADE FIXERS.

F 3869

"SURE GRIP."
Useful tool for attach-
ing and detaching Shade
holder rings where
shades are too small to
allow the rings to be
fixed by hand.

Patent No. 10608/05.



F 3869

Nickelled Steel	each 4/9
-----------------	----------


G.E.C.

1343 (F)

KNUCKLE JOINTS,
 BALL FITTINGS.
 (POLISHED BRASS).

FITTINGS ACCESSORIES.

KNUCKLE JOINTS.



F 3871

1/2 in. Brass Thread.	Polished Brass.
33/- doz.	



F 3873

1/2 in. Brass Threads.	
Pol. Brass	42/- doz.
Ox. Copper	46/6 doz.
Ox. Silver	51/- doz.




F 3875

Will remain in position without aid of wing nut.

1/2 in. Brass Thread.	Polished Brass.
45/- doz.	

BALL FITTINGS.



F 3881

3/8 in. Top Thread.	1/2 in. Branches.
2-Light	doz. 21/6
3-Light	24/-
4-Light	25/6
5-Light	27/-



F 3883

3/8 in. Top Thread.	1/2 in. Branches.
2-Light	doz. 21/6
3-Light	24/-
4-Light	25/6
5-Light	27/-



STAMPED
 SPLIT BALL.
 F 3885


3/8 in. Top Thread.	1/2 in. Branches.
2-Light	doz. 18/-
3-Light	21/-
4-Light	22/6
5-Light	24/-



HEAVY CAST
 SPLIT BALL.
 F 3887

3/8 in. Top Thread.	1/2 in. Branches.
2-Light	doz. 39/-
3-Light	42/-
4-Light	45/-
5-Light	48/-

JUNCTION BAR.



F 3891

Without Holders.

3/8 in. Centre Thread	1/2 in. Branches.
2-Light	doz. 7/6
3-Light	10/-
4-Light	12/6
5-Light	15/-

CAST ELBOW BALL.



F 3893

3/8 in. Top Thread.	1/2 in. Branches.
2-Light	doz. 30/-
3-Light	39/-
4-Light	45/-
5-Light	57/-



F 3895

Complete with B.C. adaptor and lampholders.

2-Light	Series	7/- each.
2-Light	Parallel	7/- each.

TWIST BALL FITTING.



F 3897

By use of the above fitting the lamps occupy a smaller space in dish fitting or opal shades than with other patterns.

3/8 in. Top Thread.	1/2 in. Arms.
2-Light	each. 4/6
3-Light	5/3

(F) 1344

CARRIERS, BALL FITTINGS,
TUBES, "S" HOOKS, ETC.
(POLISHED BRASS)

G.E.C.

FITTINGS ACCESSORIES.



F 3901

$\frac{3}{4}$ in. Tube	4in. long overall
With Cord Grip	16/6 doz.



**SHADE CARRIER AND
CORD GRIP.**

F 3903


$\frac{3}{4}$ in. Thread	For $1\frac{1}{4}$ in. Shades
9/6 doz.	



F 3905

$\frac{3}{4}$ in. Thread	Stem 1in. long
16/6 doz.	

Shade Ring unscrews at bottom



SHADE CARRIER.

F 3907

$\frac{3}{4}$ in. Thread	Stem 1in. long
18/- doz.	
To screw on to $\frac{3}{4}$ in. Iron Barrel	



WROUGHT IRON TUBES.

For fitting up outside fittings, such as are used for
Shops, Mines, Factories, and Street Lighting.

Catalogue No.	Length	$\frac{3}{4}$ in. Iron	$\frac{1}{2}$ in. Iron
	inches	doz.	doz.
F3911	4	6/-	7/-
F3913	6	9/-	13/6
F3915	9	13/6	21/-
F3917	12	18/-	27/-



F 3921

$\frac{3}{4}$ in. Tube	CANTING
2-Light	doz.
3-Light	60/-
	72/-

F 3923

$\frac{3}{4}$ in. Tube	PERPENDICULAR
2-Light	doz.
3-Light	60/-
	72/-



F 3925

Cast Ornamental Cord Grip and Brass Nipples	$\frac{3}{4}$ in. Tube	$\frac{1}{2}$ in. Tube
2-Light	doz.	doz.
3-Light	63/-	69/-
	75/-	81/-



BRASS TUBES. POLISHED AND LACQUERED. Prices per Dozen.

Cat. No.	Length	$\frac{3}{4}$ in. Diameter	$\frac{1}{2}$ in. Diameter	$\frac{3}{8}$ in. Diameter	$\frac{1}{4}$ in. Diameter
	inches				
F 3931	1	3/6	3/9	4/0	
F 3933	1 $\frac{1}{2}$	4/3	4/6	4/9	
F 3935	2	4/6	5/-	5/6	
F 3937	2 $\frac{1}{2}$	5/6	5/9	6/3	
F 3939	3	6/-	6/9	7/3	
F 3941	3 $\frac{1}{2}$	6/9	7/3	8/3	
F 3943	4	7/3	8/-	9/-	
F 3945	4 $\frac{1}{2}$	8/-	8/9	10/-	
F 3947	5	8/6	9/9	10/9	
F 3949	6	9/9	11/-	12/3	
F 3951	7 $\frac{1}{2}$	11/0	13/6	15/-	
F 3953	9	13/9	15/6	18/-	
F 3955	12	18/-	20/-	22/6	25/6
F 3957	15	21/6	25/-	28/-	31/6
F 3959	18	25/-	29/6	33/-	37/6
F 3961	24	32/6	37/6	42/6	49/6
F 3963	30	40/6	49/6	52/6	60/-

NURLS FOR CHAINS.

F 3971

Polished Brass
Ornament for link
chain, with
wire way through
centre

Small	doz.
Large	36/-
	57/-



BRASS HOOKS.

F 3973

1in. Light Pattern	
Polished Brass ..	doz.
Oxidized Copper ..	6d.
Oxidized Silver ..	9d.
	1/-

F 3975

2in. Light Pattern	
Polished Brass ..	doz.
Oxidized Copper ..	2/-
Oxidized Silver ..	2/6
	3/9

F 3977

2 $\frac{1}{2}$ in. Heavy Pattern	
Polished Brass ..	doz.
Oxidized Copper ..	4/6
Oxidized Silver ..	5/3
	6/3



F 3979

Polished Brass

1 $\frac{1}{2}$ in.	doz.
2in.	9/-
3in.	12/6
	25/6



NURLS FOR DOWN RODS.

F 3981

Polished Brass
Fitted with set screw

$\frac{3}{4}$ in.	doz.
$\frac{1}{2}$ in.	13/6
	16/6

FITTINGS ACCESSORIES.

CASH'S PATENT CHAIN.

PLAIN. F 3985

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
per foot	per foot	per foot	per foot
$\frac{1}{2}$	1/3	1/6	1/9
$\frac{3}{4}$	1/6	1/9	2/-
$1\frac{1}{4}$	1/8	1/11	2/3
$1\frac{1}{2}$	1/11	2/3	2/6
$1\frac{3}{4}$	2/1	2/5	2/9
2	2/6	3/-	3/6



F 3985

ORNAMENTAL. F 3987

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
per foot	per foot	per foot	per foot
$\frac{1}{2}$	1/5	1/8	1/11
$1\frac{1}{4}$	2/-	2/3	2/6



F 3987

CHAIN.

F 3989

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
per foot	per foot	per foot	per foot
$\frac{1}{2}$	1/3	1/6	2/-
$1\frac{1}{4}$	1/11	2/4	2/11
2	2/9	3/-	3/6



F 3989

CHAIN.

F 3991

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
per foot	per foot	per foot	per foot
1	10d.	1/-	1/3
$1\frac{1}{4}$	1/1	1/3	1/7
$1\frac{1}{2}$	1/3	1/6	1/9



F 3991

F 3993

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver	Wrought Iron
per foot	per foot	per foot	per foot	per foot
$\frac{1}{2}$	5d.	6d.	8d.	—
1	6d.	7d.	9d.	7d.
$1\frac{1}{4}$	9d.	10d.	1/1	9d.
$1\frac{1}{2}$	1/3	1/6	2/-	—
2	2/-	2/3	2/6	—



F 3993

F 3995

Size of Link ins.	Polished Brass or Gilt Colour	Oxidized Copper or Real Bronze Colour	Oxidized Silver
per foot	per foot	per foot	per foot
$1\frac{1}{4}$	9d.	11d.	1/2
$1\frac{1}{2}$	10d.	1/1	1/4
2	1/-	1/3	1/6



F 3995

(F) 1346

CANDLE FITTINGS,
TUBES, HOLDERS,
ETC.

S.E.C.

FITTINGS ACCESSORIES.

CANDLE FITTINGS.



F 4001

F 4001

Telescopic Candle Fitting,
complete with adjustable
Rubber plug and Spring.
Will fit inside any length
opal tube up to 6 ins.

2/9 each.

*Price does not include
Lamp, Lampholder or
Candle tube.*



F 4003

F 4003

Patent No. 186542.

ADVANTAGES.

(1) Rigidity when fixed,
the rubber expanding
plug being the best method
of attachment to candle
socket, while the spring
shown draws the lamp
firmly on to tube, and the
tube in turn tightly on to
the bevelled rubber. No
shake is therefore possible,
a fault which is present in
other candle fittings.

(2) Illumination of tube
giving realistic appear-
ance of wax candle.

(3) Security of attach-
ment. No amount of
vibration can loosen the
fitting when fixed.

(4) Always upright.

Stocked to fit 4, 4½ and 5
inch candle tubes.

4/- each.

*Price includes Lamp-
holder and Opal tube, but
not Lamp.*



F 4005

F 4005

Patent No. 186543.

This fitting is iden-
tical with F 4003, with
the exception that in-
stead of the rubber
expanding plug it is
flushed with S.E.C.
Cap for fitting into
Holder in Sconce. By
this means the Lamp
can be regulated in
fitting before being
placed in holder in
sconce.

4/6 each.

*For Holders suit-
able for use in
sconces see F4009
and F4013.*

*Price includes
Lampholder and
Opal tube, but not
Lamp.*

OPAL TUBES FOR CANDLES.



SELF-ADJUSTING LAMPHOLDER.



F 4009

To fit into Candle Socket.

1/6 each.

Catalogue No.	Description	Length	Internal Diameter	Per doz.	Per gross
F 4021	White, Glazed	4	1	6/6	72/-
F 4023	"	4½	1	7/-	75/-
F 4025	"	5	1	7/6	81/-
F 4027	"	6	1	8/-	90/-
F 4029	"	4	1	6/6	72/-
F 4031	"	4½	1	7/-	75/-
F 4033	"	5	1	7/6	81/-
F 4035	"	6	1	8/-	90/-
F 4037	Yellow, Unglazed	4	1	9/-	90/-
F 4039	"	4½	1	10/-	114/-
F 4041	"	5	1	11/6	132/-
F 4043	"	6	1	12/-	138/-

CANDLE SOCKET.



F 4011

Candle Socket,
Polished Brass.
1/6 each.



F 4013

Long Slotted S.E.C. Lampholder,
with adjustable Rubber grip.

2/9 each.

J.E.C.

1347 (F)

**WIRE GUARDS
AND FRAMES.**

FITTINGS ACCESSORIES.

WIRE GUARDS AND FRAMES.


F 4051

Polished Brass Cap and Galvanized Wire Guard.
For Osram Lamps up to 60 watt size 1½ in. hole
18/- dozen.


F 4053

Galvanized Wire Guard
For Osram Lamps up to 40 watt size
With 3½ in. P.B. Gallery.
27/- doz.


F 4057

For Osram Lamps up to 20 watt size
Polished Brass With feet 1½ in. Hole
90/- doz.


F 4055

As F4053 For Osram Lamps up to 60 watt size
30/- doz.


F 4059

Strong Galvanized Wire Guard
For springing on to Enamelled Iron Shades

8in.	9in.	10in.	12in.	15in.	18in.
doz.	doz.	doz.	doz.	doz.	doz.
7/6	8/3	8/9	13/6	18/-	42/-


F 4061

Wire frames for silk shades, 1½ in. hole

6in.	8in.	doz.
		12/-
		18/-


F 4067

For Osram Lamps up to 60 watt size. Tinned wire
9/- doz.


F 4063

Wire Frame for Silk Shades
1½ in. top hole

9in.	10in.	doz.
		6/-
		6/6

F 4069

For Osram Lamps 100 watt size Tinned wire
Simple to fix. No cap or gallery to obstruct light.
Holder and Lamp not included
15/- doz.


F 4065

Wire frame for Silk Shades
With Gimbal

9in.	10in.	doz.
		27/-
		30/-

(F) 1348

**COUNTERWEIGHT
FITTINGS
CHINA, POLISHED
BRASS.**

S.E.C.

FITTINGS ACCESSORIES.

COUNTERWEIGHT FITTINGS.

SCALE
1/3 rd
FULL SIZE.



F 4071

Cream China.
To hold up to 2½ lbs.
of shot.
Without pulley guide.
19 6 doz.

F 4073

As F4071 but with
pulley guide.
22 6 doz.

F 4071/3



F 4075

Cream China
Cast Mountings.
To hold up to 2½ lbs.
of shot.
Without pulley guide.
30 - doz.

F 4075



F 4077

White China Wheels.
To hold up to 2½ lbs.
of shot.
Polished Brass.
Without pulley guide.
25 6 doz.

F 4079

As F4077
with pulley guide
and pan.
28 6 doz.

F 4077/9



F 4081

White China Wheels.
To hold up to 5 lbs. of shot.
Polished Brass.
37 6 doz.



F 4083

White China Wheels.
To hold up to 5 lbs. of shot.
Polished Brass.
45 - doz.



F 4085

White China Wheels.
To hold up to 5½ lbs. of shot.
Polished Brass.
84 - doz.



F 4087

White China Wheels.
To hold up to 5½ lbs. of shot.
Polished Brass.
138 - doz.



F 4091

Blue and China Wheel for
our 2½ lb. H.V. Ceiling Rose.
Brass, without guide.
9 - doz.

F 4093

As F4091 but with guide.
10 6 doz.



F 4095

Ring and China Wheel heavy
cast pattern, for our 2½ lb. H.V.
Ceiling Rose.
Polished Brass.
19 6 doz.



F 4097

1½ in. China Wheel.
Mounted on polished brass
back plate.
25 6 doz.



F 4099

1½ in. China Wheel.
Mounted on brass flange.
A useful device for carrying
flexible pendant to any
point in the room. Guide
prevents flex. from running
off pulley. See F4123 for
further illustration.
21 - doz.



F 4101

For extending pendants away
from ceiling rose.
Brass.
24 - doz.



F 4103

1½ in. China Wheel.
Mounted on brass flange.
With wood screws.
15 9 doz.



F 4105

With China Wheels.
For fixing to brackets for sus-
pending counterweight pendants.
Polished Brass.
½ in. Thread.
24 - doz.

DUST SHOT for above weights. In 25lb. bags 21/- per bag. Smaller quantities 10d. per lb.

S.E.C.

FITTINGS ACCESSORIES.


1349 (F)

**COUNTERWEIGHT
FITTINGS.**
(POLISHED BRASS,
CHINA, AND IRON).




F 4111

Polished Brass Counterweight with 2½in. H.V.
Ceiling Rose and Pulley
Will hold up to 2½lbs. of shot
Without Pulley Guides Price 44/3 doz. sets
With Pulley Guides... „ 48/9 „



F 4113

Cream China
Large Size, to hold 4lbs. of shot
Set complete Price 97/6 doz. sets.
Counterweight only „ 72/- „



F 4115

China Counterweight with 2½in. H.V. Ceiling
Rose and Pulley
Will hold up to 2½lbs. of shot
Without Pulley Guides Price 38/3 doz. sets
With Pulley Guides „ 42/9 „


F 4117

As F 4115, but all Cast Mountings
Set Complete Price 59/3 doz. sets




F 4119

China Counterweight with Special Lock Nut and
Strong Cord Guide with 2½in. H.V. Ceiling Rose
and Pulley
Will hold up to 2½lbs. of shot
Without Pulley Guides Price 50/- doz. sets
With Pulley Guides
(as illustration) „ 54/6 „



F 4121

H.V. Ceiling Rose with concealed Pulley Wheel
Can be used with any plain Counterweight
on this and previous page
Arranged for looping in and to take C.M.A.
Flexible Cord
Price 42/- per doz.



F 4123

Cast iron Counterweight with H.V. Ceiling
Rose and guided Pulley
Set Complete Price 60/3 per doz.
Counterweight only „ 29/6 „

(F) 1350
COUNTERWEIGHT
FITTINGS.

G.E.C.


FITTINGS ACCESSORIES.



F 4125

F 4125


Polished Brass fitted
with F 4121 Ceiling
Rose. To hold up
to 3lbs. of shot.
9/- per set.



F 4127

F 4127

Polished Brass.
To hold up to 10lbs.
of shot.
19/6 per set.



F 4131

F 4131

Polished or
Antique Brass.
19/6 per set.



F 4133

Polished Brass Counterweight. To hold up
to 4½lbs. of shot. 7/6 each.
2½in. Double Pulley for ditto
2/6 each.




F 4135

Cream China Counterweight.
To hold up to 1½lbs. of shot.
7/6 each.



F 4139

Counterpoise and Cord Absorber.
Polished Brass.
8/3 each.



F 4141

Suitable for 3-light Pendants.
Plain Cream China Counterweight only
To hold up to 3lbs. of shot. 7/6 each.
2½in. Double Pulley for Ceiling Rose 2/6 each.

F 4137

Polished Brass Counterweight.
To hold up to 2½lbs. of shot.
7/6 each.

G.E.C.


FITTINGS ACCESSORIES.

1351 (F)
COUNTERWEIGHT
FITTINGS



F 4143

Polished Brass.
To hold up to 4lbs. of shot.
18/- per set.




F 4145

Polished Brass.
To hold up to 6lbs. of shot.
8/3 per set.



F 4147

Polished Brass. To hold up to 6lbs. of shot.
19/6 per set.



F 4149

To hold up to 11lbs. of shot.
Polished Brass .. 18/- per set.
Oxidized Copper .. 19/6 ..
Oxidized Silver .. 21/- ..




F 4151

Polished Brass.
To hold up to 6lbs. of shot.
13/6 per set.

F 4153

Polished Brass.
To hold up to 15lbs. of shot.
20/- per set.



F 4155


To hold up to 11lbs. of shot.
Polished Brass ... 18/- per set.
Oxidized Copper ... 19/6 ..
Oxidized Silver ... 21/- ..

All sets with the exception of F 4147 and F 4155 are arranged for the flexible wires to pass through the counterweight. In the case of F 4147 and F 4155 the wires pass outside the weight as used on most 2-Light Dressing Table Pendants.

G.E.C.


FITTINGS ACCESSORIES.

STAMPED SWITCH PLATES.




F 4161

No. of Switch holes	Size of Plate	Pol. Brass	Antique Brass or Ox. Copper	Ox. Silver
	ins.	each.	each.	each.
1	3 x 3	10½d.	1/-	1/3
2	5½ x 3	1/6	1/9	2/-
3	7½ x 3	3/3	3/9	4/3
4	5½ x 5½	5/-	5/6	6/6




F 4163

No. of Switch holes	Size of Plate	Pol. Brass	Antique Brass or Ox. Copper	Ox. Silver
	ins.	each.	each.	each.
1	3 x 3	10½d.	1/-	1/3
2	5½ x 3	1/6	1/9	2/-
3	7½ x 3	3/3	3/9	4/3
4	5½ x 5½	5/-	5/6	6/6



F 4165

No. of Switch holes	Size of Plate	Pol. Brass	Antique Brass or Ox. Copper	Ox. Silver
	ins.	each.	each.	each.
1	3 x 3	10½d.	1/-	1/3
2	5½ x 3	1/6	1/9	2/-
3	7½ x 3	3/3	3/9	4/3
4	5½ x 5½	5/-	5/6	6/6



F 4167


No. of Switch holes	Size of Plate	Pol. Brass	Real Bronze Colour or Oxidized Copper	Ox. Silver
	ins.	each.	each.	each.
1	3 x 3	10½d.	1/-	1/3
2	5½ x 3	1/6	1/9	2/-
3	7½ x 3	3/3	3/9	4/3
4	5½ x 5½	5/-	5/6	6/6

CAST SWITCH PLATES.



F 4171

No. of Switch holes	Size of Plate	Polished Brass
	ins.	each.
1	3 x 3	3/3
2	5½ x 3	5/3
3	7½ x 3	7/-
4	9½ x 3	8/3
4	5½ x 5½	



F 4173

No. of Switch holes	Size of Plate	Polished Brass	Real Bronze Colour or Ox. Copper	Oxidized Silver
	ins.	each.	each.	each.
1	3 x 3	1/6	1/9	2/-
2	5½ x 3	2/6	2/9	3/-
3	7½ x 3	3/9	4/3	4/9
4	9½ x 3	5/3	5/9	6/6
4	5½ x 5½			




F 4175

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 x 3	3/3
2	5½ x 3	5/3
3	7½ x 3	7/-
4	9½ x 3	8/3
4	5½ x 5½	



F 4179

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 x 3	3/9
2	5½ x 3	5/9
3	7½ x 3	7/6
4	9½ x 3	9/-
4	5½ x 5½	



F 4181

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 x 3	3/-
2	5½ x 3	4/9
3	7½ x 3	6/6
4	9½ x 3	8/-
4	5½ x 5½	




F 4183

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 x 3	4/6
2	5½ x 3	6/9
3	7½ x 3	8/3
4	9½ x 3	11/3
4	5½ x 5½	

ABOVE PRICES DO NOT INCLUDE SWITCHES OR PLUGS.
NOTE.—All the above Switch Plates are supplied with 2 in. centres,

FITTINGS ACCESSORIES. CAST SWITCH PLATES.




F 4185
Erinoid Centre. 2in. Centres.

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 x 3	2/9
2	5½ x 3	4/6
3	7½ x 3	6/9
4	5½ x 5½	8/6



F 4187
2in. Centres.

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 x 3	5/3
2	5½ x 3	8/3
3	7½ x 3	10/6
4	9½ x 3	13/6
4	5½ x 5½	



F 4189
2in. Centres.

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3 x 3	4/6
2	5½ x 3	6/6
3	7½ x 3	8/9
4	9½ x 3	11/6
4	5½ x 5½	



F 4191
2in. Centres.

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3½ x 3½	6/9
2	5½ x 3½	9/6
3	7½ x 3½	12/6
4	5½ x 5½	16/6

This plate can be supplied either vertical or horizontal.




F 4193
2½in. Centres.

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3½ x 3½	4/3
2	5½ x 3½	6/6
3	7½ x 3½	8/3
4	5½ x 5½	11/6




F 4195
2in. Centres.

No. of Switch holes	Size of Plate	Gilt Colour
	ins.	each.
1	3½ x 3½	4/3
2	5½ x 3½	6/6
3	7½ x 3½	8/3
4	5½ x 5½	11/6



F 4197

Size of Plate	Arranged for switch and plug.	Polished Brass	Oxidized Copper	Oxidized Silver
ins.		each.	each.	each.
5½ x 3	S 406 5 amp. switch, and S 774 plug and socket	2/6	2/9	3/-
6½ x 3½	S 485 10 amp. switch and 10 amp. plug and socket	3/9	4/3	4/9



F 4199

Size of Plate	Arranged for switch and plug.	Gilt Colour
ins.		each.
5½ x 3	S 406 5 amp. switch, and S 774 plug and socket	4/9
6½ x 3½	S 485 10 amp. switch, and 10 amp. plug and socket	6/-

ABOVE PRICES DO NOT INCLUDE SWITCHES OR PLUGS.
NOTE.—All the above Switch Plates are supplied with 2 in. centres.

(F) 1354

POLISHED WOOD
BLOCKS.**G.E.C.****FITTINGS ACCESSORIES.****ROUND RECESSED BLOCKS.**

Catalogue No.	Size at back	Size on face	Thickness	Imitation walnut		White enamelled		Real teak	
				per doz.	per gross	per doz.	per gross	per doz.	per gross
F 4201	2 1/4	2 1/4	1/8	2/-	22/6	2/3	24/-	4/-	45/-
F 4203	3	2 3/4	1/8	2/3	24/-	2/6	25/6	4/3	48/-
F 4205	3 1/4	2 7/8	1/8	2/3	24/6	2/6	26/6	4/9	54/-
F 4207	3 1/2	2 3/4	1	2/3	24/6	2/6	26/6	5/3	57/-
F 4209	3 1/2	2 7/8	1 1/4	2/9	31/6	3/-	33/-	6/-	66/-
F 4211	3 3/4	3 1/4	1	3/-	33/-	3/3	36/-	6/-	66/-
F 4213	4 1/4	3 3/8	1	4/-	42/-	4/3	45/-	7/6	84/-
F 4215	4 1/2	4	1	4/6	48/-	5/-	52/6	9/3	102/-
F 4217	4 3/4	4 1/2	1	5/9	63/-	6/3	69/-	10/9	120/-
F 4219	5 1/4	4 1/2	1	7/-	75/-	7/6	81/-	13/6	150/-
F 4221	6	5 1/2	1	8/-	87/-	8/6	93/-	16/-	180/-
F 4223	6 1/2	6 1/4	1	11/-	120/-	11/6	126/-	24/-	270/-
F 4225	7 1/2	7	1	16/-	180/-	17/6	198/-	33/-	360/-
F 4227	8 1/2	8	1	21/-	240/-	23/-	264/-	38/-	420/-

**SQUARE AND RECTANGULAR RECESSED BLOCKS.
MORTICED, ROUND CORNERS.**

Catalogue No.	No. of switches (Space)	Size at back	Size on face	Thickness	Polished imitation walnut		White enamelled		Real teak	
					per doz.	per gross	per doz.	per gross	per doz.	per gross
F 4231	1	3 x 3	2 1/2 x 2 1/2	1	4/3	49/6	4/6	51/-	7/3	81/-
F 4233	2	5 1/2 x 3	5 x 2 1/2	1	6/-	66/-	6/3	69/-	10/6	120/-
F 4235	3	8 x 3	7 1/2 x 2 1/2	1	8/3	93/-	8/6	96/-	14/3	162/-
F 4237	4	10 1/2 x 3	10 x 2 1/2	1	10/-	114/-	10/3	117/-	18/9	216/-
F 4239	4	5 1/2 x 5 1/2	5 x 5	1	10/-	114/-	10/3	117/-	18/9	216/-
F 4241	6	8 x 5 1/2	7 1/2 x 5	1	13/9	156/-	14/-	159/-	27/-	312/-
F 4243	8	10 1/2 x 5 1/2	10 x 5	1	19/6	225/-	21/9	252/-	36/-	420/-
F 4245	9	8 x 8	7 1/2 x 7 1/2	1	19/6	225/-	21/9	252/-	39/-	456/-
F 4247	12	10 1/2 x 8	10 x 7 1/2	1	24/6	283/6	27/-	315/-	49/6	576/-
F 4249	16	10 1/2 x 10 1/2	10 x 10	1 1/4	31/6	360/-	35/3	405/-	64/6	756/-
F 4251	For charging boards etc.	13 x 13	12 1/2 x 12 1/2	1 1/4	39/-	450/-	42/6	492/-	75/-	888/-
F 4253		15 1/2 x 12 1/2	15 x 12	1 1/4	51/6	600/-	53/6	660/-	108/-	1260/-
F 4255		18 1/2 x 12 1/2	18 x 12	1 1/4	62/-	720/-	68/-	792/-	133/6	1560/-
F 4257		20 1/2 x 12 1/2	20 x 12	1 1/4	72/-	840/-	79/-	924/-	153/6	1800/-
F 4259	Two 10 amp switches	7 x 4	6 1/2 x 3 1/2	1	8/3	93/-	8/6	96/-	14/3	162/-

**SQUARE AND RECTANGULAR SOLID BLOCKS.
THIN.**

Catalogue No.	No. of switches (Space)	Size at back	Size on front	Thickness	Polished imitation walnut		White enamelled		Real teak	
					per doz.	per gross	per doz.	per gross	per doz.	per gross
F 4261	1	3 x 3	2 1/2 x 2 1/2	1/4	4/3	49/6	4/6	51/-	7/3	81/-
F 4263	2	5 1/2 x 3	5 x 2 1/2	1/4	6/-	66/-	6/3	69/-	10/6	120/-
F 4265	3	8 x 3	7 1/2 x 2 1/2	1/4	8/3	93/-	8/6	96/-	14/3	162/-
F 4267	4	10 1/2 x 3	10 x 2 1/2	1/4	10/-	114/-	10/3	117/-	18/9	216/-
F 4269	4	5 1/2 x 5 1/2	5 x 5	1/4	10/-	114/-	10/3	117/-	18/9	216/-

S.E.C.

1355 (F)


FITTINGS ACCESSORIES.

RECESSED SWITCH BOXES.
WOOD SWITCH BOXES & BLOCKS,
POLISHED BRASS
BRACKETS.

SWITCH BOXES.

Catalogue No.	No. of Switches (Space)	Dimensions			Price per doz.
		Length	Width	Depth inside	
F 4271	1	ins. 2½	ins. 2½	1½	9/-
F 4273	2	5	2½		12/6
F 4275	3	7	2½		15/9
F 4277	4	9	2½		22/6
F 4279	4	5	5		22/6
F 4281	6	7	5		29/6
F 4283	10 amp. switch and plug.	6½	3½	1½	14/6

These Boxes are made in well-seasoned Teak, strongly glued, morticed, and sprigged.



F 4271-83

THE "NEW ERA" FIXTURE BLOCK.



F 4285



F 4287

The "New Era" Fixture Block effectually overcomes the old objection to "Hand-made Joints" and considerably expedites wiring. "New Era" blocks enable fittings to be removed without cutting wires or in any way damaging decorations.

4in. Face	Imitation Walnut
Single Circuit	18/9 doz.

4in. Face	Imitation Walnut
Two Circuit	24/6 doz.

White Enamelled Blocks, 6d. per doz. extra.

RECESSED SWITCH BLOCKS.



F 4291-4299

Catalogue No.	No. of Switches (Space)	Dimension	Polished Imitation Walnut		Real Teak		White Enamelled	
			per. doz.	per gross.	per doz.	per gross.	per doz.	per gross.
F 4291	1	ins. 3 x 3	6/9	78/-	10/-	114/-	7/6	87/-
F 4293	2	5½ x 3	9/-	105/-	14/6	165/-	10/3	120/-
F 4295	3	8 x 3	13/-	153/-	18/6	216/-	14/6	171/-
F 4297	4	5½ x 5½	16/9	195/-	26/6	300/-	18/9	216/-
F 4299	1	Round 3½ dia.	3/6	39/-	7/6	84/-	3/9	42/-

Suitable for "Slick" Semi-recessed Switches.

POLISHED BRASS BRACKETS.



F 4301

Projection, 2½ins.

¾in. Tube	doz.
¾in. Tube	14/-
¾in. Tube	15/6



F 4303

Projection, 2½ins.

¾in. Tube	doz.
¾in. Tube	14/6
¾in. Tube	16/-



F 4305

Projection, 5ins.


¾in. Tube	doz.
¾in. Tube	47/6 doz.



F 4307

Projection, 2½ins.

¾in. Tube	doz.
¾in. Tube	15/6 doz.



Cast Plate.

¾in. Tube	Canting
Catalogue No.	Projection inches
F 4311	6
F 4313	9
F 4315	12
F 4317	15
F 4319	18

¾in. Tube	Perpendicular
Catalogue No.	Projection inches
F 4321	6
F 4323	9
F 4325	12
F 4327	15
F 4329	18

¾in. Tube	Canting
Catalogue No.	Projection inches
F 4331	6
F 4333	9
F 4335	12
F 4337	15
F 4339	18

(F) 1356

REFLECTORS.
FOR SHOP WINDOWS,
SHOW CASES,
PICTURES, ETC.

G.E.C.

FITTINGS ACCESSORIES.

REFLECTORS FOR SHOP WINDOWS, SHOW CASES, ETC.



F 4351


For Osram Lamps up to
20 watt size.
Nickelled.
3/3 each.

F 4353

As F 4351 but for Osram
Lamps up to 60 watt size.
3/6 each.

Shell.

F 4351/3



F 4371

For small Tubular Lamp.
1/2 in. Brass Female Thread,
Knuckle Joint.

Polished Brass	Oxidized Copper	Oxidized Silver
each. 11/3	each. 12/6	each. 13/9



Hemispherical.

F 4381

F 4381

For Osram Lamps up to
60 watt size.
Nickelled.
6/9 each.



F 4355

For Osram Lamps up to
20 watt size.
Nickelled.
3/- each.

F 4357

As F 4355 but for Osram
Lamps up to 60 watt size.
3/3 each.

Fluted
Scoop.

F 4355 7



F 4373

For Osram Lamps up to 20 watt size.
Japanned outside, lined Silvered Mirror.
11/- each.

F 4375

As F 4373 but for Osram Lamps up
to 60 watt size.
11/6 each.



Horizontal
Parabolic.

F 4383/5

F 4383

For Osram Lamps up to
30 watt size.
Nickelled.
6/3 each.

F 4385

As F 4383 but for Osram
Lamps up to 60 watt size.
7/6 each.



F 4359


For Osram Lamps up to
20 watt size.
Nickelled.
3/- each.

F 4361

As F 4359 but for Osram
Lamps up to 60 watt size.
3/3 each.

Plain
Scoop.

F4359/61



F 4377

For 100 watt Osram Gasfilled Lamp, 2 1/4" lip.
White outside. Mirror lined. 9ins. diameter.
14/6 each.



Vertical
Parabolic.

F 4391/3

F 4391

For Osram Lamps up to
30 watt size.
Nickelled.
6/9 each.

F 4393

As F 4391 but for Osram
Lamps up to 60 watt size.
7/9 each.



Tubular.

F 4363

F 4363

For S.B.C. lampholders.
Nickelled.
2/- each.



F 4379

Round Conic Reflector, Japanned Black,
lined with Silvered Mirror Glass, with
1 1/2 in. opening and Ventilation Holes.

	each.
8 x 4 ins.	7/6
10 x 5 ins.	11/3
12 x 6 ins.	14/3
15 x 7 1/2 ins.	18/-



Conic.

F 4395/7

F 4395

For Osram Lamps up to
20 watt size.
Nickelled.
6/9 each.

F 4397

As F 4395 but for Osram
Lamps up to 60 watt size.
7/9 each.


PRICES DO NOT INCLUDE LAMPS OR LAMPHOLDERS.

S.E.C.

1357 (F)
REFLECTORS FOR SHOP WINDOWS
AND SHELF CLIPS


FITTINGS ACCESSORIES.

SHOP WINDOW REFLECTORS AND SHELF CLIPS.




F 4401

Adjustable Telescopic Bracket to fit Glass Shelves.
Nickel-plated.
3/9 each.
Double Holder and Reflector extra.
See F 4407/9 below.



F 4403

Bracket with Sliding and Adjustable Nipple.
Nickel-plated.
3/9 each.
Double Holder and Reflector extra.
See F 4407/9 below.



F 4411

Jeweller's Shelf Clip.
Silver-plated.
9d.



F 4407 (Series).

F 4409 (Parallel).

Steel Bronzed outside, Nickel-plated inside. Including Nickel-plated Double Holder.

Series 16/6 per 13in. length wired.

Parallel 16/6 " " " "

Supplied in lengths—13ins., 26ins. and 39in., taking two 20 watt Osram Lamps per 13in.

When ordering state length required and Catalogue No.

F 3585 for attaching to Tap Bar, 8/6 doz.



F 4413

Bracket to screw to tap bar.
1 1/4 in. hole for Lampholder.

Brass	Nickel-plated
10d. each	1/- each



F 4417

Glass Shelf Bracket.
Arm can be attached to Clip horizontally as shown, or screwed vertically into body.


Polished Brass	Nickel-plated
2/6 each	3/- each



F 4419


Botts Bracket.

Polished or Bronzed Brass	Nickelled
2/6 each	3/- each
Patent Lampholders 1/9 and 2/6 each extra respectively.	



F 4415

Polished Brass	Nickelled
1/- each	1/3 each



F 4421

Registered No. 489715.

Shelf Clip Bracket.

The Clip grips the shelf and will accommodate itself to varying thicknesses.
The socket holding Lampholder swivels in any direction, there being two movements to allow of this.

Nickel-plated. ... 2/9 each.



F 4423

Nipple for conversion of
Tap Bar Lampholder.
For F 4419 Bracket.
1/3 each.

PRICES DO NOT INCLUDE LAMPS OR LAMPHOLDERS, EXCEPT WHERE OTHERWISE STATED.


(F) 1358

"STRIPLITE"
REFLECTORS
FOR SHOP WINDOWS,
SHOWCASES, ETC.

G.E.C.

FITTINGS ACCESSORIES.

"STRIPLITE."



F 4431



1 1/2"

The Standard finish is Polished Aluminium inside and outside, but "Striplite" can be supplied polished inside and enamelled any colour outside at a slight increase in price.

Catalogue No.	For Osram "Striplite" Lamp		Approx. overall length of single unit	Price per unit length (without lamps)	
	Wattage	Length		s.	d.
F 4431	20 or 30	221 m/m (approx. 8 3/4")	12 ins.	8	6

Stocked in 1, 2, 3, 4 and 6 lamp lengths. (Approx. overall lengths, 12, 22, 32, 42 and 62 ins. respectively).



F 4433 As F 4431 but extra wide on one side.


Catalogue No.	For Osram "Striplite" Lamp		Approx. overall length of single unit	Price per unit length (without lamps)	
	Wattage	Length		s.	d.
F 4433	20 or 30	221 m/m (approx. 8 3/4")	12 ins.	11	6

Stocked in 1, 2, 3, 4 and 6 lamp lengths. (Approx. overall lengths, 12, 22, 32, 42 and 62 ins. respectively).


Prices and particulars of other designs of Aluminium "Striplite" on application

"STRIPLITE" FOR PICTURES AND SHOWCASES.

Extra wide one side.



2 1/2"



Catalogue No.	For Osram "Striplite" Lamp		Approx. overall length	Price per unit length	
	Wattage	Length		s.	d.
F 4435	20 or 30	221 m/m (approx. 8 3/4")	12 ins.	13	6

Fitted at back with 1/4 in. Brass Nozzle Female.

F 4439 5/- per doz. sets.

Nickel-plated Clips and L. Screws for fixing "Striplite" so that Reflector can be adjusted to position required

"CHINA STRIPLITE."

Patent No. 15115/03. Registered No. 580652.



For 20 or 30 watt Osram "Striplite" Lamps. Length 221 m/m (approx. 8 3/4 ins.)

Catalogue No.	Description	Length of Part	Price each (without lamps)	
			s.	d.
F 4441	Standard length Series	9 1/2 ins.	9	0
F 4443	Standard length Parallel Right	9 1/2 ins.	9	0
F 4445	Standard length Parallel Left	9 1/2 ins.	9	0
F 4447	End Piece	1 1/2 ins.	3	6
F 4449	Circuit Connector	1 1/2 ins.	3	6

PRICES DO NOT INCLUDE LAMPS.

G.E.C.


1359 (F)

SHOP WINDOW
REFLECTOR.

FITTINGS ACCESSORIES.


SHOP WINDOW REFLECTORS.

A scientifically designed trough reflector consisting of a metal housing finished white outside, lined with opal and high grade mirror glass. Suitably ventilated for use with 100 watt OSRAM gasfilled lamps and supplied in convenient lengths complete with B.C. lampholders. Lampholders are spaced 12" or 18" apart.




F 4451

Suitable for shop windows in which the distance from back to front does not exceed two-thirds of the height.
27/- per foot.



F 4453

Suitable for shop windows in which the distance from back to front does not exceed the height.
27/- per foot.



F 4455

Metal housing white outside, lined silvered mirror glass, wired with nickelled double holders for 60 watt OSRAM lamps. Lampholders spaced 18" apart. The mirrors are arranged to reflect the light in the vertical downward direction.

Specially suitable for windows that exceed 8ft., narrow but closely dressed.

37/6 per foot.

Patent No. 102772

F 4457

Metal housing white outside, lined silvered mirror and white opal glass with lampholders for 100 watt OSRAM Gasfilled lamps, unwired. Lampholders spaced 18" apart. The mirrors are arranged to reflect the light in the vertical direction, as **F 4455**.

Suitable for closely dressed and narrow windows, where more light is required than would be obtained by using OSRAM Vacuum Lamps.

40.6 per foot.

PRICES INCLUDE LAMPHOLDERS, BUT NOT LAMPS.

(F) 1360

"GECORAY"
SILVERED GLASS REFLECTORS
FOR SHOP WINDOW LIGHTING.



SILVERED GLASS REFLECTORS.

FOR SHOP WINDOW LIGHTING.



FC 4950

"SPLENDOR"

For high, shallow windows.

Designed to accommodate one 100 watt. Osram Gasfilled Lamp.

Catalogue No.	Height when equipped with gallery and S1066 "Excel" lampholder	Width	Price each
FC 4950	9 ins.	9 $\frac{3}{8}$ ins.	37/6

Price includes gallery.



FC 4951

"SCINTOR"

For average windows.

Designed to accommodate one 100 watt. Osram Gasfilled Lamp.

Catalogue No.	Height when equipped with gallery and S1066 "Excel" lampholder	Width	Price each
FC 4951	10 ins.	9 $\frac{1}{4}$ ins.	37/6

Price includes gallery.



FC 4952

"LUSTOR"

For high, shallow windows.

Designed to accommodate one 60 watt. Osram Gasfilled Lamp.

Catalogue No.	Height when equipped with F 3761 gallery and S1066 Lampholder	Width	Price each without gallery
FC 4952	7 $\frac{1}{2}$ ins.	7 $\frac{1}{2}$ ins.	30/-



FC 4953

"METEOR"

For small windows.

Designed to accommodate one 60 watt. Osram Gasfilled Lamp.

Catalogue No.	Height when equipped with F 3761 gallery and S1066 lampholder	Width	Price each without gallery
FC 4953	6 $\frac{1}{2}$ ins.	6 $\frac{1}{4}$ in.	25/-

F 3761 gallery for F 4465 and F 4467, 13/6 doz. extra.

PRICES DO NOT INCLUDE LAMPS OR LAMPHOLDERS.

For further particulars and Illumination Curves see separate list.



REGD. TRADE MARK

G.E.C.

ELECTRIC LIGHT

FITTINGS ACCESSORIES.

F (2)

SECTION
16th EDITION
(December, 1924).

CONTENTS.

	PAGE		PAGE
ANTI-VIBRATORS ...	1338	NOZZLES ...	1336
BALL FITTINGS ...	1343/4	NURLS ...	1339, 1344
BLOCKS AND BOXES ...	1354/5	OIL LAMP ADAPTORS ...	1342
BRACKETS (INDOOR) ...	1355	PULL DOWN HANDLES ...	1342
BUSHES ...	1336	REFLECTORS 1356/59 & 1362	
CANDLE FITTINGS ...	1346	„ (DESK, ETC.)	1362
CEILING PLATES ...	1337/8	„ (SHOP WINDOW)	1356/61
CHAINS ...	1345	ROSETTES ...	1336
CLIPS ...	1336	SCREWS ...	1336
CORD GRIPS ...	1336	SHACKLES ...	1338
„ ORNAMENTS ...	1339	SHADE CARRIERS ...	1342/3/4
„ SHORTENERS ...	1339	„ FIXERS ...	1343
COUNTERWEIGHT FITTINGS	1348/51	SHADE TILTERS ...	1342
COUPLINGS ...	1336	SHELF CLIPS ...	1357
ELBOWS ...	1336	SOCKETS ...	1337
GALLERIES OR SHADE CARRIERS	1340/1	“ S ” HOOKS ...	1344
HOOKE PLATES ...	1338	“ STRIPLITE ” ...	1358
HOOKE ...	1336, 1338	SWITCH PLATES ...	1352/3
HUSKS ...	1339	TILTERS ...	1342
INSULATORS ...	1336	TUBES ...	1344/6
KNUCKLE JOINTS ...	1343	WIRE GUARDS ...	1347
LOOPS ...	1338	WOOD BLOCKS AND BOXES	1354/5
NIPPLES ...	1337		

The prices in this list are subject to our Standard Conditions of Sale.

THE GENERAL ELECTRIC CO., LTD.

HEAD OFFICE:

MAGNET HOUSE, KINGSWAY, LONDON, W.C.2.

TELEPHONE: REGENT 7050 (50 LINES). TELEGRAMS: "ELECTRICITY, WESTCENT, LONDON."

WORKS: WITTON, BIRMINGHAM, MANCHESTER, COVENTRY,
SOUTHAMPTON, ERITH, WEMBLEY, LONDON, ETC.

BRANCHES THROUGHOUT THE UNITED KINGDOM AND IN ALL PRINCIPAL MARKETS OF THE WORLD.



REGD. TRADE MARK.



REGD. TRADE MARK.

(F) 1336

CORD GRIPS, HOOKS, CLIPS,
NOZZLES, ELBOWS,
INSULATORS, ETC.
(POLISHED BRASS).

G.E.C.

FITTINGS ACCESSORIES.

CORD GRIPS. F 3501



F 3501

Male Thread	Brass
	doz.
$\frac{3}{8}$ in.	3/9
$\frac{1}{2}$ in.	4/9
$\frac{3}{4}$ in.	6/3
$\frac{1}{2}$ in. gas	15/9

F 3503



F 3503

Female Thread	Brass
	doz.
$\frac{3}{8}$ in.	6/-
$\frac{1}{2}$ in.	6/9
$\frac{3}{4}$ in.	8/3

F 3505



F 3505

Male Thread	Brass
	doz.
$\frac{3}{8}$ in.	18/-

LACQUERED SCREWS.

F 3509



F 3509

Size	Brass
	doz.
No. 6 $\times \frac{1}{4}$ in.	6d.
No. 8 $\times \frac{1}{2}$ in.	1/-

POLISHED BRASS RINGS.

F 3511



F 3511

Female Thread	Brass
	doz.
$\frac{3}{8}$ in.	1/6
$\frac{1}{2}$ in.	1/9
$\frac{3}{4}$ in.	2/6
$\frac{1}{2}$ in.	4/3

BRASS SUSPENDING HOOKS.

F 3513



F 3513

To fix under cord grip caps of lampholders.
 $\frac{3}{8}$ in. hole
10/- per doz.

BRASS SUSPENDING HOOKS.



F 3515

F 3515

With split insulator.
Easily attached to wire.
16/6 per doz.



F 3517

SCREW CLIPS.

F 3517

For clipping to Brass Tubes of the following diameter.

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	doz.
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.	12/6



F 3519

F 3519

Insulated clip for brass tubes of the following diameters.

$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	doz.
$\frac{1}{2}$ in.	1 in.	1 $\frac{1}{8}$ in.	12/6



F 3521

INSULATING HOOKS.

F 3521

Polished brass.
China insulator.
For insulating light pendants from ceiling.
18/- per doz.
Larger sizes to order.



F 3523

SCREW EYES.

F 3523

Closed Insulator.
Wood Screws.

Length overall	Per doz.	Per gross.
1 $\frac{1}{2}$ in.	1/6	15/-
2 $\frac{1}{2}$ in.	1/9	17/3



F 3527

F 3527

Slotted Insulator.

Length overall	Per doz.	Per gross.
1 $\frac{1}{2}$ in.	1/6	15/-
2 $\frac{1}{2}$ in.	1/9	17/3



F 3529

ROSETTES.

F 3529

For use with Screw eyes
1/3 per doz.
13/6 per gross

REDUCING NOZZLES.

F 3531

Polished Brass.
Brass Threads.



F 3531

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	2/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	2/6
$\frac{3}{4}$ in.	1 in.	3/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	3/-
$\frac{3}{4}$ in.	1 in.	3/-
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	3/3
$\frac{3}{4}$ in.	1 in.	3/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	4/-
$\frac{3}{4}$ in.	1 in.	4/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	4/3
$\frac{3}{4}$ in.	1 in.	5/-
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	6/-
$\frac{3}{4}$ in.	1 in.	6/-

INCREASING NOZZLES.

F 3535

For Brass Threads.
26 Pitch.



F 3535

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1/9
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	3/-
$\frac{3}{4}$ in.	1 in.	2/-



F 3537

F 3537

Polished Brass.

Brass Inside	Iron Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/6



F 3539

F 3539

Iron Thread

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	3/-
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	4/3
$\frac{3}{4}$ in.	1 in.	7/6
$\frac{1}{2}$ in.	1 in.	11/3
$\frac{3}{4}$ in.	1 in.	11/3

NIPPLES.

F 3541

Brass Thread.
26 Pitch.



F 3541

Outside	doz.
$\frac{3}{8}$ in.	1/-
$\frac{1}{2}$ in.	1/3
$\frac{3}{4}$ in.	1/6

COUPLINGS.

F 3543

Brass Threads.



F 3543

Inside	doz.
$\frac{3}{8}$ in.	4/3
$\frac{1}{2}$ in.	4/9
$\frac{3}{4}$ in.	5/9
1 in.	6/6

ELBOWS.

F 3545 (2-way).

F 3547 (3-way).

Equal Brass Threads.



F 3545/7

Thread	Two Way	Three Way
$\frac{3}{8}$ in.	doz.	doz.
$\frac{1}{2}$ in.	11/3	11/3
$\frac{3}{4}$ in.	14/3	14/3
1 in.	15/9	15/9

NOZZLES.

F 3551

Polished Brass.

Iron Threads	Brass Threads	
Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/3
$\frac{3}{4}$ in.	1 in.	6/-
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	6/-
$\frac{3}{4}$ in.	1 in.	8/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	8/3
1 in.	1 in.	12/6
1 in.	1 in.	12/6



F 3551/3

F 3553

Polished Brass.

Electric Threads	Brass Threads	
Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/3
$\frac{3}{4}$ in.	1 in.	6/-
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	6/-
1 in.	1 in.	8/3
1 in.	1 in.	8/3



F 3555

F 3555

Polished Brass.

Iron Threads	Brass Threads	
Inside	Inside	doz.
$\frac{3}{8}$ in.	$\frac{3}{8}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{1}{2}$ in.	6/-
$\frac{3}{4}$ in.	$\frac{3}{4}$ in.	9/-
1 in.	1 in.	12/6



F 3557

F 3557

Polished Brass.

Electric Threads	Brass Threads	Price
Inside	Inside	doz.
$\frac{3}{8}$ in.	$\frac{3}{8}$ in.	5/3
$\frac{1}{2}$ in.	$\frac{1}{2}$ in.	6/-
1 in.	1 in.	8/3

INSULATING BUSH PIECES.

F 3561

Black and White for Brass Threads.



F 3561

$\frac{3}{8}$ in.	doz.
$\frac{1}{2}$ in.	10d.
$\frac{3}{4}$ in.	1/-
1 in.	1/6

EBONITE DIMINISHERS.

F 3563

Brass Threads.



F 3563

Inside	Outside	doz.
$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	4/6
$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	5/9
$\frac{3}{4}$ in.	1 in.	5/9
1 in.	1 in.	6/9



FLOODLIGHTS AND SPOTLIGHTS.

FOR WINDOW LIGHTING EFFECTS.



F.C. 4949

Designed to throw a concentrated beam of light upon any special feature in the window display, or for floodlighting the whole window. It is supplied complete with bracket, and can be fixed to any flat surface, either vertical or horizontal. The ball and socket joint gives universal adjustment of the direction of the beam. Will accommodate one 100 watt OSRAM Gasfilled Projector Type Lamp (for spotlighting), or one 200 watt OSRAM Gasfilled Lamp (for floodlighting).

F.C. 4949 each. £2 17s. 6d.

Complete with bracket, gallery and lampholder.




F.C. 4948

This small spotlight is solidly constructed with a metal housing, amply ventilated. A high quality lens is provided, as well as telescopic focussing adjustment. The bracket allows the concentrated beam of light to be directed exactly where required and four different colour screens (one each red, amber, blue and green) are provided with each projector. Will accommodate one 100 watt OSRAM Projector Type Lamp.

F.C. 4948 each. £3 17s. 6d.

Complete with bracket and colour screens.

COLOUR SCREENS FOR USE WITH GECORAY REFLECTORS.



F.C. 4954

Colour screens designed for use with **F.C. 4950** and **F.C. 4951** reflectors. The colour film is held in place between two rings with retaining wires stretched across the openings of each ring. Four colour films of assorted colours (red, amber, green and blue) are supplied with each colour screen.

GECORAY Colour Screen, complete with four colour films ... Price 18/-.



(F) 1362

REFLECTORS.
FOR READING
DESKS, MUSIC
STANDS, ETC.

G.E.C.


FITTINGS ACCESSORIES.

REFLECTORS FOR READING DESKS, MUSIC STANDS, &c.




ORCHESTRA LIGHT.
F 4481

Japanned Black.
For Ordinary Lamp. 8/3 each.



PULPIT OR READING DESK LIGHT.
F 4483

Polished Brass Bracket and "Striplite"
reflector with lampholders.
21/- each.




"STRIPLITE" MUSIC DESK LIGHT.
F 4485

Polished Brass Bracket and "Striplite" Reflector
with Lampholders.
25/6 each.



ORCHESTRA LIGHT.
F 4487

Polished Brass.
For Tubular Lamp.
27/- each.



ORCHESTRA OR DESK LIGHT.
F 4489

Enamelled Steel Bracket with Japanned Reflector.
For Ordinary or Tubular Lamp
33/- each.



TELESCOPIC PULPIT OR READING DESK LIGHT.
F 4491

Adjustable in length, giving a range of from 12 to 18ins., to suit any width
Pulpit or Reading Desk.

Can also be raised and lowered.

Black Enamelled	60/- each.
Polished Brass	80/- "

PRICES DO NOT INCLUDE LAMPS OR LAMPHOLDERS EXCEPT WHERE STATED.

SEPARATE SECTIONS OF CATALOGUE.

SECTION

- P** (3) Direct Current Motors
(4) Alternating Current Motors
(5) Plant (Combined Sets, etc.)
(6) Transformers
(7) G.E.C. Lighting Sets

- X** (1) Switchboards
(2) High Tension Switchgear
(3) Circuit Breakers
(4) Condenser Protective Gear
(5) Motor Starters
(6) Cable Boxes
(7) Motor Controllers

X & Y Low and Medium Tension Switchgear

M Measuring Instruments

- V** (3) "Freezor" Electric Fans
(4) "Witton" Fractional H.P. Motors

OS Osram and Robertson Lamps

S Electric Light Supplies

- W** (1) Pirelli-General Wires and Cables
(2) "Kingway" Wiring System

C Conduit and Accessories

F Fittings

FI Industrial and Street Lighting

F & G Fittings Accessories

- H** (1) Electric Heating Apparatus
(2) Electric Cooking Apparatus

- L** (1) Electric Bells, Batteries, and Accessories
(3) Colliery Signalling, Miners' Hand Lamps

K Telephones

RS Railway Signalling Apparatus

BC (2) Broadcasting Valves

Any of the above will be sent on receipt of application stating which section is required.

THE GENERAL ELECTRIC CO., LTD.

Known throughout the World as the

"G.E.C."

Manufacturers and Suppliers of Everything Electrical.

WORKS:

BRIDGEWORKS, WEMBLEY	WINDMILL, BIRMINGHAM	ACCESSORIES WORKS, WEMBLEY, LONDON
CABLE WORKS, WEMBLEY	WINDMILL, BIRMINGHAM	RAILWAY SIGNALLING, WEMBLEY, LONDON
CASTING WORKS, WEMBLEY	WINDMILL, BIRMINGHAM	APPARATUS WORKS, WEMBLEY, LONDON
WINDMILL, BIRMINGHAM	WINDMILL, BIRMINGHAM	GLASS WORKS, WEMBLEY, LONDON
WINDMILL, BIRMINGHAM	WINDMILL, BIRMINGHAM	METER WORKS, BIRMINGHAM
WINDMILL, BIRMINGHAM	WINDMILL, BIRMINGHAM	STEAM-ENGINE WORKS, BIRMINGHAM
WINDMILL, BIRMINGHAM	WINDMILL, BIRMINGHAM	CONVEYING AND MINING, BIRMINGHAM
WINDMILL, BIRMINGHAM	WINDMILL, BIRMINGHAM	PLANT WORKS, SOUTHAMPTON
WINDMILL, BIRMINGHAM	WINDMILL, BIRMINGHAM	CABLE WORKS, SOUTHAMPTON
WINDMILL, BIRMINGHAM	WINDMILL, BIRMINGHAM	HEATING AND COOKING, WEMBLEY, MIDDLESEX
WINDMILL, BIRMINGHAM	WINDMILL, BIRMINGHAM	APPARATUS WORKS, WEMBLEY, MIDDLESEX

HOME BRANCHES:

Branch	Address	Telephone No.	Trains
BRIDGEWORKS	WINDMILL, BIRMINGHAM	2336	"Relay"
CABLE WORKS	WINDMILL, BIRMINGHAM	2337	"Relay"
CASTING WORKS	WINDMILL, BIRMINGHAM	2338	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2339	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2340	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2341	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2342	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2343	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2344	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2345	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2346	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2347	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2348	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2349	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2350	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2351	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2352	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2353	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2354	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2355	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2356	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2357	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2358	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2359	"Relay"
WINDMILL	WINDMILL, BIRMINGHAM	2360	"Relay"

OVERSEAS BRANCHES:

AUSTRIA: THE GENERAL ELECTRIC CO. LTD., 10, Dorotheergasse, VIENNA, AUSTRIA.	INDIA AND BURMAH: THE GENERAL ELECTRIC CO. (INDIA) LTD., 14, Old Court House Street, CALCUTTA. 10, Armenian Street, MADRAS. 10, Upper Ring Road, BOMBAY. 10, Upper Ring Road, LAHORE.
BRITAIN: THE GENERAL ELECTRIC CO. LTD., 10, Dorotheergasse, VIENNA, AUSTRIA.	FEDERATED MALAY STATES AND STRAITS SETTLEMENTS: THE GENERAL ELECTRIC CO. (MALAYA) LTD., 10, Upper Ring Road, SINGAPORE.
CHINA: THE GENERAL ELECTRIC CO. OF CHINA LTD., 10, Upper Ring Road, SINGAPORE.	CHINA, MANCHURIA AND KOREA: THE GENERAL ELECTRIC CO. OF CHINA LTD., 10, Upper Ring Road, SINGAPORE.
AFRICA: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.	ARGENTINA AND URUGUAY: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.
EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.	EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.

OVERSEAS AGENCIES:

AFRICA: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.	ASIA: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.
EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.	EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.
EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.	EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.
EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.	EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.
EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.	EUROPE: THE GENERAL ELECTRIC CO. LTD., 10, Upper Ring Road, SINGAPORE.

Head Office: Magnet House, Kingsway, London, W.C.2.

Telephone: 7050 (50 lines).

Telegrams: "Electricity, Western, London."

Cablegrams: "Polyphase London."